



MARISMA FNM

ESP

ENG







Marisma FNM


Tolerancia y Producción

Excelente establecimiento post-transplante - Tolerancia a la mayoría de enfermedades del suelo
Elevada producción extra-precoz y total - Firmeza del fruto extraordinaria





Producción precoz en g/pl



Valoraciones de calidad

	Rabida FNM	Rociera FNM	Marisma FNM
Firmeza medida con penetrómetro	382	391	434
Firmeza al tacto valorado del 1 al 7	5,5	6,4	7,1
Vida útil valorado en nº de días	7,2	7,7	6,7
Aspecto comercial 3 días a 4°C + 2 días T° ambiente valorado del 1 al 7	5,7	5,9	5,7
Sabor valorado del 1 al 7	5,7	6,2	6,3
Color interno según escala CIREF	2,5	2,0	3,7
Color externo según escala CIREF	5,2	4,2	6,0





Marisma FNM

Tolerance and Production


Excellent Post-transplant establishment - Tolerance to most soil diseases

High production and firmness throughout the season


Intense red colour and sweet taste




Resistance to disease caused by *Phytophthora cactorum*



Resistance to disease caused by *Colletotrichum acutatum*



Early production in g/pl



Quality parameters

	Rabida FNM	Rociera FNM	Marisma FNM
Firmness measured with dynamometer	382	391	434
Subjctive firmness 1 to 7 scale	5,5	6,4	7,1
Shelf life number of days	7,2	7,7	6,7
Commercial appearance 3 days 4°C +2 days room Tª 1 to 7 scale	5,7	5,9	5,7
Flavour 1 to 7 scale	5,7	6,2	6,3
Internal colour CIREF code	2,5	2,0	3,7
External colour CIREF code	5,2	4,2	6,0

